



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: SPOT REMOVER
SS01

SECTION 1: PRODUCT INFORMATION

Distributed By: Aqua Air Manufacturing, 542 West Confluence Ave, Salt Lake City, Utah 84123
Company Phone Number: 801-265-9699
Emergency Phone Number: 1-800-535-5053 (Infotrac)
Date Prepared: 4-17-05

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
Fire: 0 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

PRINCIPLE HAZARDOUS INGREDIENTS :

None as per 29 CFR 1910.1200

SECTION 3: PHYSICAL DATA

Boiling Point (°F).....214°	Specific Gravity(H ₂ O=1).....1.05
Vapor Pressure (mmHg.).....22.377mm	Percent Volatile by Volume...N/E
Vapor Density (AIR=1)..... N/E	PH (1% Solution).....7
Solubility in Water.....Stable	
Appearance & Odor.....Light Blue, Odorless	

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: 500° (COC°F)
Extinguishing Media: Water, Fog, Foam
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None
Stability: Stable
Chemical Incompatibility: None known
Hazardous Decomposition or Byproducts: None known
Hazardous Polymerization: Will not occur
Conditions to Avoid: None

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of	Eyes? no Skin? no Inhalation? no Ingestion? No
Entry: Health	Eyes - May cause irritation, tearing, redness
Hazards:	Skin - May cause slight irritation
	Inhalation - Breathing high concentrations may cause dizziness, fatigue
	Ingestion - May cause irritation of digestive tract and dizziness, fatigue
Carcinogenicity:	NTP? no OSHA? no IARC Nonograph? no

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes.....	Flush with water until clear. Get medical attention if irritation occurs.
Skin.....	Non irritating to skin.
Inhalation..	Non irritating
Ingestion...	Drink 16 fluid oz. of water. Get medical attention if irritation occurs.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection...	Non required for recommended use.
Protective Clothing.....	Non required
Ventilation.....	Normal room ventilation
Storage.....	Temperatures in storage should be above 25°F to prevent freezing and below 14°F to prevent expansion.

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Standard drainage - non harmful to metals, aluminum and PVC type drainage pipe. All disposal must be in accordance with all federal, state and local regulations.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. AQUA AIR MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established